




















Quanzhou Smarts Electronic & Technology Co.,Ltd
 7th Floor Hengxin building No.9 Chifeng Rd. Licheng dist.,Quanzhou,Fujian,China
 Tel: +86-(0)595-27256889 Fax: +86-(0)595-22465526
 Skype: steven281228 E-mail: steven@smartselectronic.com.cn
 Quanzhou Smarts Electronic & Technology Co.,Ltd
 7th Floor Hengxin building No.9 Chifeng Rd. Licheng dist.,Quanzhou,Fujian,China
 Tel: +86-595-27256889 Fax: +86-595-22465526
 Skype: steven281228 E-mail: steven@smartselectronic.com.cn

Product List

PRODUCT PHOTO	ITEM No.	CERTIFICATE	COVER MATERIAL	PRODUCT SIZE (mm)	INPUT VOLTAGE (VAC)	OUTPUT POWER (Watt)	OUTPUT CURRENT (Amp)	OUTPUT VOLTAGE (vDC)	NET WEIGH (g)	CARTON SIZE (mm)	PACK QTY/CTN (pcs)	PACK WEIGH (kg)	power cords	IP Rate	Warranty
	SMT-012-006VW	CE/ROHS	Aluminum	66*29*20 (IP67)	100-265	6	0.50	12	91g	299*224*176	200	6kg	18AWG *20CM	IP67	2 years
	SMT-024-006VW	CE/ROHS				6	0.25	24	91g	299*224*176	200	6kg			2 years
	SMT-036-006VW	CE/ROHS				6	0.17	36	91g	299*224*176	200	6kg			2 years
	SMT-048-006VW	CE/ROHS				6	0.13	48	91g	299*224*176	200	6kg			2 years
	SMT-012-012VW	CE/ETL/ROHS	Aluminum	66*29*20 (IP67)	100-265	12	1.00	12	91g	299*224*176	50	9.2kg	18AWG *20CM	IP67	2 years
	SMT-024-012VW	CE/ETL/ROHS				12	0.50	24	91g	299*224*176	50	9.2kg			2 years
	SMT-036-012VW	CE/ETL/ROHS				12	0.33	36	91g	299*224*176	50	9.2kg			2 years
	SMT-048-012VW	CE/ETL/ROHS				12	0.25	48	91g	299*224*176	50	9.2kg			2 years
	SMT-012-015VW	CE/ETL/ROHS	Plastic/ Aluminum	116*44*20 (IP20)	100-265	15	1.25	12	108g	299*224*176	50	9.2kg	connecting terminal (IP20)/ 18AWG *20CM	IP20/ IP67	2 years
	SMT-024-015VW	CE/ETL/ROHS		130*29*20 (IP67)		15	0.63	24	108g	299*224*176	50	9.2kg			2 years
	SMT-036-015VW	CE/ETL/ROHS		15		0.42	36	108g	299*224*176	50	9.2kg	2 years			
	SMT-048-015VW	CE/ETL/ROHS		15		0.31	48	108g	299*224*176	50	9.2kg	2 years			
	SMT-012-018VW	CE/ETL/ROHS	Plastic/ Aluminum	116*44*20 (IP20)	100-265	18	1.50	12	108g	324*214*188	50	9.2kg	connecting terminal (IP20)/ 18AWG *20CM	IP20/ IP67	2 years
	SMT-024-018VW	CE/ETL/ROHS		130*29*20 (IP67)		18	0.75	24	108g	324*214*188	50	9.2kg			2 years
	SMT-036-018VW	CE/ETL/ROHS		18		0.50	36	108g	324*214*188	50	9.2kg	2 years			
	SMT-048-018VW	CE/ETL/ROHS		18		0.38	48	108g	324*214*188	50	9.2kg	2 years			
	SMT-012-020VW	CE/ETL/ROHS	Plastic/ Aluminum	116*44*20 (IP20)	100-265	20	1.67	12	108g	324*214*188	50	9.2kg	connecting terminal (IP20)/ 18AWG *20CM	IP20/ IP67	2 years
	SMT-024-020VW	CE/ETL/ROHS		130*29*20 (IP67)		20	0.83	24	108g	324*214*188	50	9.2kg			2 years
	SMT-036-020VW	CE/ETL/ROHS		20		0.56	36	108g	324*214*188	50	9.2kg	2 years			
	SMT-048-020VW	CE/ETL/ROHS		20		0.42	48	108g	324*214*188	50	9.2kg	2 years			
	SMT-012-026VW	CE/ETL/ROHS	Plastic/ Aluminum	140*45*28 (IP20)	100-265	24	2.00	12	118g	324*214*188	50	12.4kg	connecting terminal (IP20)/ 18AWG *20CM	IP20/ IP67	2 years
	SMT-024-026VW	CE/ETL/ROHS		182*29*20 (IP67)		24	1.00	24	118g	324*214*188	50	12.4kg			2 years
	SMT-036-026VW	CE/ETL/ROHS		24		0.67	36	118g	324*214*188	50	12.4kg	2 years			
	SMT-048-026VW	CE/ETL/ROHS		24		0.50	48	118g	324*214*188	50	12.4kg	2 years			

PRODUCT PHOTO	ITEM No.	CERTIFICATE	COVER MATERIAL	PRODUCT SIZE (mm)	INPUT VOLTAGE (VAC)	OUTPUT POWER (Watt)	OUTPUT CURRENT (Amp)	OUTPUT VOLTAGE (vDC)	NET WEIGH (g)	CARTON SIZE (mm)	PACK QTY/CTN (pcs)	PACK WEIGH (kg)	power cords	IP Rate	Warranty
	SMT-012-030VW	CE/ETL/ROHS	Plastic/ Aluminum	140*45*28 (IP20)	100-265	30	2.50	12	118g	324*214*188	50	12.4kg	connecting terminal (IP20)/ 18AWG *20CM	IP20/ IP67	2 years
	SMT-024-030VW	CE/ETL/ROHS		30		1.25	24	118g	324*214*188	50	12.4kg	2 years			
	SMT-036-030VW	CE/ETL/ROHS		30		0.83	36	118g	324*214*188	50	12.4kg	2 years			
	SMT-048-030VW	CE/ETL/ROHS		30		0.63	48	118g	324*214*188	50	12.4kg	2 years			
	SMT-012-036VW	CE/ETL/ROHS	Plastic/ Aluminum	140*45*28 (IP20)	100-265	36	3.00	12	118g	324*214*188	50	12.4kg	connecting terminal (IP20)/ 18AWG *20CM	IP20/ IP67	2 years
	SMT-024-036VW	CE/ETL/ROHS		36		1.50	24	118g	324*214*188	50	12.4kg	2 years			
	SMT-036-036VW	CE/ETL/ROHS		36		1.00	36	118g	324*214*188	50	12.4kg	2 years			
	SMT-048-036VW	CE/ETL/ROHS		36		0.75	48	118g	324*214*188	50	12.4kg	2 years			
	SMT-012-040VW	CE/ETL/ROHS	Aluminum	217*29*21	100- 130VAC /170- 265VAC	40	3.33	12	205g	324*214*188	50	11kg	18AWG *20CM	IP67	2 years
	SMT-024-040VW	CE/ETL/ROHS				40	1.67	24	205g	324*214*188	50	11kg			2 years
	SMT-036-040VW	CE/ETL/ROHS				40	1.11	36	205g	324*214*188	50	11kg			2 years
	SMT-048-040VW	CE/ETL/ROHS				40	0.83	48	205g	324*214*188	50	11kg			2 years
	SMT-012-048VW	CE/ETL/ROHS	Aluminum	190*48*34	100-265	48	4.00	12	300g	324*214*188	50	16kg	18AWG *20CM	IP67	2 years
	SMT-024-048VW	CE/ETL/ROHS				48	2.00	24	300g	324*214*188	50	16kg			2 years
	SMT-036-048VW	CE/ETL/ROHS				48	1.33	36	300g	324*214*188	50	16kg			2 years
	SMT-048-048VW	CE/ETL/ROHS				48	1.00	48	300g	324*214*188	50	16kg			2 years
	SMT-012-060VW	CE/ETL/ROHS	Aluminum	190*48*34	100-265	60	5.00	12	550g	410*230*340	30	17kg	18AWG *20CM	IP67	2 years
	SMT-024-060VW	CE/ETL/ROHS				60	2.50	24	550g	410*230*340	30	17kg			2 years
	SMT-036-060VW	CE/ETL/ROHS				60	1.67	36	550g	410*230*340	30	17kg			2 years
	SMT-048-060VW	CE/ETL/ROHS				60	1.25	48	550g	410*230*340	30	17kg			2 years
	SMT-012-080VW	CE/ETL/ROHS	Aluminum	190*48*34	100-265	80	6.67	12	550g	410*230*340	30	17kg	18AWG *20CM	IP67	2 years
	SMT-024-080VW	CE/ETL/ROHS				80	3.33	24	550g	410*230*340	30	17kg			2 years
	SMT-036-080VW	CE/ETL/ROHS				80	2.22	36	550g	410*230*340	30	17kg			2 years
	SMT-048-080VW	CE/ETL/ROHS				80	1.67	48	550g	410*230*340	30	17kg			2 years
	SMT-012-090VW	CE/ETL/ROHS	Aluminum	200*68*53	100-265	90	7.50	12	900g	460*260*245	20	13kg	18AWG *20CM	IP67	2 years
	SMT-024-090VW	CE/ETL/ROHS				90	3.75	24	900g	460*260*245	20	13kg			2 years
	SMT-036-090VW	CE/ETL/ROHS				90	2.50	36	900g	460*260*245	20	13kg			2 years
	SMT-048-090VW	CE/ETL/ROHS				90	1.88	48	900g	460*260*245	20	13kg			2 years
	SMT-012-100VW	CE/ETL/ROHS	Aluminum	200*68*53	100-265	96	8.00	12	900g	460*260*245	20	13kg	18AWG *20CM	IP67	2 years
	SMT-024-100VW	CE/ETL/ROHS				96	4.00	24	900g	460*260*245	20	13kg			2 years
	SMT-036-100VW	CE/ETL/ROHS				96	2.67	36	900g	460*260*245	20	13kg			2 years
	SMT-048-100VW	CE/ETL/ROHS				96	2.00	48	900g	460*260*245	20	13kg			2 years

PRODUCT PHOTO	ITEM No.	CERTIFICATE	COVER MATERIAL	PRODUCT SIZE (mm)	INPUT VOLTAGE (VAC)	OUTPUT POWER (Watt)	OUTPUT CURRENT (Amp)	OUTPUT VOLTAGE (vDC)	NET WEIGH (g)	CARTON SIZE (mm)	PACK QTY/CTN (pcs)	PACK WEIGH (kg)	power cords	IP Rate	Warranty
	SMT-012-120VW	CE/ETL/ROHS	Aluminum	242*68*53	90-135/ 170-265	120	10.00	12	1100g	460*260*245	20	13kg	18AWG *20CM	IP67	2 years
	SMT-024-120VW	CE/ETL/ROHS				120	5.00	24	1100g	460*260*245	20	13kg	18AWG *20CM		2 years
	SMT-036-120VW	CE/ETL/ROHS				120	3.33	36	1100g	460*260*245	20	13kg	18AWG *20CM		2 years
	SMT-048-120VW	CE/ETL/ROHS				120	2.50	48	1100g	460*260*245	20	13kg	18AWG *20CM		2 years
	SMT-012-150VW	CE/ETL/ROHS	Aluminum	240*71*45	90-135/ 170-265	150	12.50	12	1250g	450*280*230	20	13kg	18AWG *20CM	IP67	2 years
	SMT-024-150VW	CE/ETL/ROHS				150	6.25	24	1250g	450*280*230	20	13kg	18AWG *20CM		2 years
	SMT-036-150VW	CE/ETL/ROHS				150	4.17	36	1250g	450*280*230	20	13kg	18AWG *20CM		2 years
	SMT-048-150VW	CE/ETL/ROHS				150	3.13	48	1250g	450*280*230	20	13kg	18AWG *20CM		2 years
	SMT-012-200VW	CE/ETL/ROHS	Aluminum	240*96*43	90-135/ 170-265	200	16.67	12	1300g	420*250*240	10	13.5kg	18AWG *20CM	IP67	2 years
	SMT-024-200VW	CE/ETL/ROHS				200	8.33	24	1300g	420*250*240	10	13.5kg	18AWG *20CM		2 years
	SMT-036-200VW	CE/ETL/ROHS				200	5.56	36	1300g	420*250*240	10	13.5kg	18AWG *20CM		2 years
	SMT-048-200VW	CE/ETL/ROHS				200	4.17	48	1300g	420*250*240	10	13.5kg	18AWG *20CM		2 years
	SMT-012-250VW	CE/ETL/ROHS	Aluminum	235*120*56	90-135/ 170-265	250	20.83	12	2540g	420*250*240	9	12kg	18AWG *20CM	IP67	2 years
	SMT-024-250VW	CE/ETL/ROHS				250	10.42	24	2540g	420*250*240	9	12kg	18AWG *20CM		2 years
	SMT-036-250VW	CE/ETL/ROHS				250	6.94	36	2540g	420*250*240	9	12kg	18AWG *20CM		2 years
	SMT-048-250VW	CE/ETL/ROHS				250	5.21	48	2540g	420*250*240	9	12kg	18AWG *20CM		2 years
	SMT-012-300VW	CE/ROHS	Aluminum	235*120*56	170-265	300	25.00	12	2400g	420*250*240	9	12kg	18AWG *20CM	IP67	2 years
	SMT-024-300VW	CE/ROHS				300	12.50	24	2400g	420*250*240	9	12kg	18AWG *20CM		2 years
	SMT-036-300VW	CE/ROHS				300	8.33	36	2400g	420*250*240	9	12kg	18AWG *20CM		2 years
	SMT-048-300VW	CE/ROHS				300	6.25	48	2400g	420*250*240	9	12kg	18AWG *20CM		2 years